

Addendum 1
Request for Bid
Florence Branch
Issued 01/09/2019

Scope of Work for Shingle Roof

- Not required for bid consideration:
 - Section 4
 - Section 5
 - Section 7

Scope of Work for EPDM Roof

- Section 7 has been changed to read:
 - Install 60 mil EPDM roofing membrane system complete with incidentals so as to provide a warranted weatherproof roofing system is to be fully adhered to the prepared substrate. All field seems are to be **primer and seam tape**. Basis of design is TNT Roofing a Firestone product.
- Section 26 has been added
 - The contractor shall install EPDM roofing material with a 20 year minimum warranty.

Qualifications

- The following sections have been added:
 - 20. Projects for Boone County Public Library are not required to follow prevailing wage.
 - 21. Boone County Public Library is a tax exempt entity. When the contract is awarded, the Library will provide a copy of the tax exempt certificate.
 - 22. Boone County Public Library requires a copy of the Certificate of Liability Insurance. It is not necessary to show bonding.

THIS PAGE MUST BE COMPLETED, SIGNED AND RETURNED WITH THE SEALED BID.

The undersigned Bidder acknowledges receipt of an use of Addendum 1, dated 01/09/2019, in the preparation of this bid.

_____ By: _____
Company's Legal Name Authorized Representative Signature

Date